

~~CONFIDENTIAL~~

15 November 1955

25X1

MEMORANDUM FOR: THE RECORD

SUBJECT: Wall Measurement Gauge

National Bureau of Standards

Subject: Wall Thickness Measurement Gauge. Feasibility of ultrasonic measurements and type of equipment which might be used.

Present Status: Work on project continuing.

- - -

Subject: Wall Thickness Measurement by Neutron Backscattering.

Status: Feasibility study underway.

Remarks: (a) [redacted] Dr. Fano
and Dr. Spencer of the Radiation Laboratory, National Bureau of
Standards.

25X1

(b) Meeting arranged to brief Dr. Fano and Dr. Spencer of
the problem of CIA's interest and to straighten out with them the
necessary financial arrangements.

(c) Arrangements being made for [redacted] CD, to meet
Dr. Fano and Dr. Spencer and to assume responsibility for their
phase of wall measurement work.

25X1

[redacted]
TSS/APD

25X1

Distribution:

Orig. - AH #25

1 - [redacted] CD
1 - Chrono

25X1

TSS/APD, [redacted] (15 Nov 55)

25X1

008632

DOC 15	REV DATE 22 July 80	BY 057447
CRIG COMP 056	ORI 56	TYPE 03
CRIG CLASS 5	PAGES 1	REV CLASS 03
JUST 22	NEXT REV 2010	AUTH: HR 10-2

~~CONFIDENTIAL~~